



## 2020

Schilderink, R., Protopappa, M., Fleth-James, J., Vertzoni, M., Schaefer, K., Havenaar, R., ... & Reppas, C. (2020). On the usefulness of compendial setups and tiny-TIM system in evaluating the *in vivo* performance of oral drug products with various release profiles in the fasted state: Case example sodium salt of A6197. *European Journal of Pharmaceutics and Biopharmaceutics*.

## 2019

- Butler, J., Hens, B., Vertzoni, M., Brouwers, J., Berben, P., Dressman, J., Andreas, C., Schaefer, K., Mann, J., McAllister, M., Jamei, M., Kostewicz, E., Kesisoglou, E., Langguth, P., Minekus, M., Müllertz, A., Schilderink, R., Koziolok, M., Jedamzik, P., Weitschies, W., Reppas, C., Augustijns, P. (2019). *In vitro* models for the prediction of *in vivo* performance of oral dosage forms: Recent progress from partnership through the IMI OrBiTo collaboration. *European Journal of Pharmaceutics and Biopharmaceutics*, 136, 70-83.
- Bellmann, S., Krishnan, S., de Graaf, A., de Ligt, R. A., Pasman, W. J., Minekus, M., & Havenaar, R. (2019). Appetite ratings of foods are predictable with an *in vitro* advanced gastrointestinal model in combination with an *in silico* artificial neural network. *Food Research International*.
- Brito-de la Fuente, E., Secouard, S., Siegert, N., Perelló, F. P., & Gallegos, C. (2019). Determination of Dissolution Profile and Bioaccessibility of Ketosteril Using an Advanced Gastrointestinal *In Vitro* Model.
- de Souza, C. B., Jonathan, M., Saad, S. M. I., Schols, H. A., & Venema, K. (2019). Degradation of fibres from fruit by-products allows selective modulation of the gut bacteria in an *in vitro* model of the proximal colon. *Journal of Functional Foods*, 57, 275-285.
- Huang, J., Chen, P. X., Rogers, M. A., & Wettig, S. D. (2019). Investigating the Phospholipid Effect on the Bioaccessibility of Rosmarinic Acid-Phospholipid Complex through a Dynamic Gastrointestinal *In Vitro* Model. *Pharmaceutics*, 11(4), 156.
- Keller, D., Verbruggen, S., Cash, H., Farmer, S., & Venema, K. (2019). Spores of *Bacillus coagulans* GBI-30, 6086 show high germination, survival and enzyme activity in a dynamic, computer-controlled *in vitro* model of the gastrointestinal tract. *Beneficial microbes*, 10(1), 77-87.
- Kleinnijenhuis, A. J., van Holthoorn, F. L., Maathuis, A. J., Vanhoecke, B., Prawitt, J., Wauquier, F., & Wittrant, Y. (2019). Non-targeted and targeted analysis of collagen hydrolysates during the course of digestion and absorption. *Analytical and Bioanalytical Chemistry*, 1-10.
- Kubbinga, M., Augustijns, P., García, M. A., Heinen, C., Wortelboer, H. M., Verwei, M., & Langguth, P. (2019). The effect of chitosan on the bioaccessibility and intestinal permeability of acyclovir. *European Journal of Pharmaceutics and Biopharmaceutics*, 136, 147-155.
- Larsen, N., de Souza, C. B., Krych, L., Kot, W., Leser, T. D., Sørensen, O. B., ... & Jespersen, L. (2019). Effect of potato fiber on survival of *Lactobacillus* species at simulated gastric conditions and composition of the gut microbiota *in vitro*. *Food Research International*, 108644.
- Martina, A., Felis, G. E., Corradi, M., Maffei, C., Torriani, S., & Venema, K. (2019). Effects of functional pasta ingredients on different gut microbiota as revealed by TIM-2 *in vitro* model of the proximal colon. *Beneficial microbes*, 1-14.
- Venema, K., Verhoeven, J., Verbruggen, S., Espinosa, L., & Courau, S. (2019). Probiotic survival during a multilayered tablet development as tested in a dynamic, computer-controlled *in vitro* model of the stomach and small intestine (TIM-1). *Letters in applied microbiology*.
- Williams, G. A., Koenen, M. E., Havenaar, R., Wheeler, P., Gowtage, S., Lesellier, S., & Chambers, M. A. (2019). Survival of *Mycobacterium bovis* BCG oral vaccine during transit through a dynamic *in vitro* model simulating the upper gastrointestinal tract of badgers. *PloS one*, 14(4), e0214859.

## 2018

Bellmann, S., Minekus, M., Sanders, P., Bosgra, S., Havenaar, R. (2018). Human glycemic response curves after intake of carbohydrate foods are accurately predicted by combining *in vitro* gastrointestinal digestion with *in silico* kinetic modeling. *Clin. Nutr. Experimental* 17: 8-22. Open Access. doi.org/10.1016/j.yclnex.2017.10.003.



- Bothe, M. K., Maathuis, A. J. H., Lange, K., Koenen, M. E., van der Vossen, J. M. B. M., Bellmann, S., Schwejda-Guettes, S., Koehler, A., Kuchinka-Koch, A., Stover, J.F. (2018). *Lactulose Crystals and Liquid Both Show A Dose-Dependent Prebiotic Effect in a Computer-Controlled In Vitro Model of the Human Proximal Colon*. *J Food Tech Food Chem* 1: 103 Abstract RESEARCH ARTICLE Open Access, 1(1).
- Dasilva, G., Boller, M., Medina, I., Storch, J. (2018). *Relative levels of dietary EPA and DHA impact gastric oxidation and essential fatty acid uptake*. *Nutr. Biochem.* doi:10.1016/j.jnutbio.2017.11.007.
- Dupont, D., Alric, M., Blanquet-Diot, S., Bornhorst, G., Cueva, C., Deglaire, A., Denis, S., Ferrua, M., Havenaar, R., Lelieveld, J., Mackie, A.R., Marzorati, M., Menard, O., Minekus, M., Miralles, B., Recio, I., Van den Abbeele, P. (2018). *Can dynamic in vitro digestion systems mimic the physiological reality?* *Crit. Rev. Food Sci. Nutr.* Jan 23:1-17. doi: 10.1080/10408398.2017.1421900.
- Hopgood, M., Reynolds, G., & Barker, R. (2018). *Using Computational Fluid Dynamics to Compare Shear Rate and Turbulence in the TIM-Automated Gastric Compartment With USP Apparatus II*. *Journal of pharmaceutical sciences*.
- Samtlebe, M., Denis, S., Chalancon S., Atamer Z., Wagner N., Neve H., Franz, C., Schmidt, H., Blanquet-Diot, S., Hinrichs, J. (2018). *Bacteriophages as modulator for the human gut microbiota: Release from dairy food systems and survival in a dynamic human gastrointestinal model*. *Food Sci. Techn.* 91: 235-241.
- Sáyago-Ayerdi, S., Zamora-Gaska, V.M., Venema, K. (2018). *Prebiotic effect of predigested mango peel on gut microbiota assessed in a dynamic in vitro model of the human colon (TIM-2)*. *Food Res. Internat.* doi.org/10.1016/j.foodres.2017.12.024.

## 2017

- Aguirre, M., Venema, K. (2017). *Challenges in simulating the human gut for understanding the role of the microbiota in obesity*. *Beneficial Microbes* 8 (1): 31-53.
- AlHasawi, F., Fondaco, D., Ben-Elazar, K., Ben-Elazar, S., Fan, Y.Y., Corradini, M.G., Ludescher, R.D., Bolster, D., Carder, G., Chu, Y., Chung, Y., Kasturi, P., Johnson J., Rogers, M. (2017). *In vitro measurements of luminal viscosity and glucose/maltose bioaccessibility for oat bran, instant oats, and steel cut oats*. *Food Hydrocolloids* 70: 293-303. doi.org/10.1016/j.foodhyd.2017.04.0150268-005X/.
- Bloomer, J.C., Ambery, C., Miller, B.E., Connolly, P., Garden, H., Henley, N., Hodnett, N., Keel, S., Kreindler, J.L., Lloyd, R.S., Matthews, W., Yonchuk, J., Lazaar, A.I. (2017). *Identification and characterisation of a salt form of Danirixin with reduced pharmacokinetic variability in patient populations*. *Eur. J. Pharmaceut. Biopharmaceut.* 117: 224-231.
- Bothe M.K., Maathuis, A.J.H., Bellmann, S., van der Vossen, J.M.B.M., Berressem, D., Koehler, A., Schwejda-Guettes, S., Gaigg, B., Kuchinka-Koch, A., Stover, J.F. (2017). *Dose-dependent prebiotic effect of lactulose in a computer-controlled in vitro model of the human large intestine*. *Nutrients* 9: 767-781. doi:10.3390.nu9070767.
- Johansson, D.P., Vázquez Gutiérrez J.L., Landberg, R., Alminger, M., Langton, M. (2017). *Impact of food processing on rye product properties and their in vitro digestion*. *Eur. J. Nutr.* Open Access doi: 10.1007/s00394-017-1450-y.
- Keller, D., Van Dinter, R., Cash, H., Farmer, S., Venema, K. (2017). *Bacillus coagulans GBI-30, 6086 increases plant protein digestion in a dynamic, computer-controlled in vitro model of the small intestine (TIM-1)*. *Beneficial Microbes* 8 (3): 491-496.
- Lu, M., Ho, C-T., Huang, Q. (2017). *Improving quercetin dissolution and bioaccessibility with reduced crystallite sizes through media milling technique*. *J. Func. Foods* 37: 138-146. doi.org/10.1016/j.jff.2017.07.047.
- Maathuis, A., Havenaar, R., He, T., Bellmann, S. (2017). *Protein digestion and quality of goat and cow milk infant formula and human milk under simulated infant conditions*. *J. Pediatric Gastroenterol. Nutr.* 65 (6): 661-6. doi: 10.1097/MPG.0000000000001740.
- Marze, S. (2017). *Bioavailability of nutrients and micronutrients: Advances in modeling and in vitro approaches*. *Annu. Rev. Sci. Techn.* 8: 35-55. doi: 10.1146/annurev-food-030216-030055.
- Teixeira, C., Nyman, M., Andersson, R., Alminger, M. (2017). *Application of a dynamic gastrointestinal in vitro model combined with a rat model to predict the digestive fate of barley dietary fibre and evaluate potential impact on hindgut fermentation*. *Bioactive Carbohydr Dietary Fibre* 9: 7-13.



- Van Den Abeele, J., Schilderink, R., Schneider, F., Mols, R., Minekus, M., Weitschies, W., Brouwers, J., Tack, J., Augustijns, P. (2017). **Gastrointestinal and systemic disposition of diclofenac under fasted and fed state conditions supporting the evaluation of in vitro predictive tools**. Mol. Pharmaceutics. doi: 10.1021/acs.molpharmaceut.7b00253.
- Westerhout, J., Bellmann, S., van Ee, R., Havenaar, R., Leeman, W., van de Steeg, E., Wortelboer, H.M. (2017). **Prediction of oral absorption of nanoparticles from biorelevant matrices using a combination of two physiologically relevant in vitro models**. J. Food Chem. Nanotechn. Open Access doi.org/10.17756/jfcn.2017-046.

## 2016

- Aguirre, M., Bussolo de Souza, C., Venema, K. (2016). The gut microbiota from lean and obese subjects contribute differently to the fermentation of arabinogalactan and inulin. PLOS one, July: 1-18.
- Aguirre, M., Eck, A., Koenen, M.E., Savelkoul, P.H.M., Budding, A.E., Venema, K. (2016). Diet drives quick changes in the metabolic activity and composition of human gut microbiota in a validated in vitro gut model. Res. Microbiol. 167: 114-125.
- Bellmann, S., Lelieveld, J., Gorissen, T., Minekus, M., Havenaar, R. (2016). Development of an advanced *in vitro* model and its evaluation versus human gastric physiology. Food Res. Internat. 88: 191-198.
- Benmoussa, A., Lee, C.C., Laffont, B., Savard, P., Laugier, J., Boilard, E., Gilbert, C., Fliss, I., Provost, P. (2016) Commercial dairy cow milk microRNAs resist digestion under simulated gastrointestinal tract conditions. J Nutr. 146 (11): 2206-2215.
- Denis, S., Sayd, T., Georges, A., Chambon, C., Chalancon, S., Santé-Lhoutellier, V., Blanquet-Diot, S. (2016). Digestion of cooked meat proteins is slightly affected by age as assessed using the dynamic gastrointestinal TIM model and mass spectrometry. Food Function 7 (6): 2682-2691.
- Havenaar, R., Maathuis, A., de Jong, A., Mancinelli, D., Berger, A., Bellmann, S. (2016). Herring roe protein has a high digestible indispensable amino acid score (DIAAS) using a dynamic *in vitro* gastrointestinal model. Nutr. Res. 36: 798-807.
- Koenen, M.E., Cruz Rubio, J.M., Mueller, M., Venema, K. (2016). The effect of agave fructan products on the activity and composition of the microbiota determined in a dynamic *in vitro* model of the human proximal large intestine. J. Funct. Foods 22: 201-210.
- Kortman, G.A.M., Dutilh, B.E., Maathuis, A.J.H., Engelke, U.F., Boekhorst, J., Keegan, K.P., Nielsen, F.G.G., Betley, J., Weir, J.C., Kingsbury, Z., Kluijtmans, L.A.J., Swinkels, D.W., Venema, K., Tjalsma, H. (2016). Microbial metabolism shifts towards an adverse profile with supplementary iron in the TIM-2 *in vitro* model of the human colon. Frontiers Microbiol. 6, art. 1481. doi: 10.3389/fmicb.2015.01481.
- Larsson, K., Harrysson, H., Havenaar, R., Alminger, M., Undeland, I. (2016). Formation of malon-dialdehyde (MDA), 4-hydroxy-2-hexenal (HHE) and 4-hydroxy-2-nonenal (HNE) in fish and fish oil during dynamic gastrointestinal *in vitro* digestion. Food Function 7: 1176-1187.
- Larsson, K., Tullberg, C., Alminger, M., Havenaar, R., Undeland, I. (2016). Malondialdehyde and 4-hydroxy-2-hexenal are formed during dynamic gastrointestinal *in vitro* digestion of cod liver oils. Food Function 7: 3458-3467.
- Lyng, E., Havenaar, R., Shastri, P., Hetsco, L., Vick, A., Sagartz, J. (2016). Increased bioavailability of celecoxib under fed versus fasted conditions is determined by post-prandial bile secretion as demonstrated in a dynamic gastrointestinal model. J. Drug Dev. Ind. Pharm. 42 b(8): 1334-1339.
- Oosterveld, A., Minekus, M., Bomhof, E., Zoet, F.D., van Aken, G.A. (2016). Effects of inhomogeneity on triglyceride digestion of emulsions using an in vitro digestion model (tiny TIM). Food Function 7: 2979-2995.
- Roussel, C., Cordonnier, C., Galia, W., Le Goff, O., Thévenot, J., Chalancon, S., Alric, M., Thevenot-Sergentet, D., Leriche, F., Van de Wiele, T., Livrelli, V., Blanquet-Diot, S. (2016) Increased EHEC survival and virulence gene expression indicate an enhanced pathogenicity upon simulated pediatric gastrointestinal conditions. Pediatric Res. 80 (5): 734-743.
- Thilakarathna, S.H., Rogers, M., Lan, Y., Huynh, S., Marangoni, A.G., Robinson L.E., Wright A.J. (2016). Investigations of in vitro bioaccessibility from interesterified stearic and oleic acid-rich blends. Food Function 7: 1932-1940. doi: 10.1039/c5Fo01272d.



- Uriot, O., Galia, W., Ablavi Awussi, A., Perrin, C., Denis, S., Chalancon, S., Lorson, E., Poirson, C., Junjua, M., Le Roux, Y., Alric, M., Dary, A., Blanquet-Diot, S., Roussel, Y. (2016). Use of dynamic gastro-intestinal model TIM to explore the survival of the yogurt bacterium *Streptococcus thermophilus* and the metabolic activities induced in the simulated human gut. *Food Microbiology* 53: 18-29.
- Verwei, M., Minekus, M., Zeijdner, E., Schilderink, R., Havenaar, R. (2016). Evaluation of two dynamic *in vitro* models simulating fasted and fed state conditions in the upper gastrointestinal tract (TIM-1 and tiny-TIM) for investigating the bioaccessibility of pharmaceutical compounds from oral dosage forms. *Int. J. Pharm.* 498: 178-186.
- Villemejeane, C., Denis, S., Marsset-Baglieri, A., Alric, M., Aymard, P., Michon, C. (2016). *In vitro* digestion of short-dough biscuits enriched in proteins and/or fibres, using a multi-compartmental and dynamic system (2): Protein and starch hydrolyses. *Food Chem.* 190: 164-172.

## 2015

- Aguirre, M., Eck, A., Koenen, M.E., Savelkoul, P.H.M., Budding, A.E., Venema, K. (2015). Evaluation of an optimal preparation of human standardized fecal inocula for *in vitro* fermentation studies. *J. Microbiol. Methods* 117: 78-84.
- Cordonnier, C., Thévenot, J., Etienne-Mesmin, L., Denis, S., Alric, M., Livrelli, V., Blanquet-Diot, S. (2015). Dynamic *in vitro* models of the human gastrointestinal tract as relevant tools to assess the survival of probiotic strains and their interactions with gut microbiota. *Microorganisms* 3: 725-745.
- De Almeida, M.R.A., Bassani, A.S., Hamid, S., Banov, D., Phan, H. (2015). Investigation of the bioaccessibility of progesterone (micronized and non-micronized), using an *in vitro* model of the human gastrointestinal system. *Intern. J. Appl. Sci. Techn.* 5 (4): 1-7.
- Fondaco, D., AlHasawi, F., Lan, Y., Ben-Elazar, S., Connolly, K., Rogers, M.A. (2015). Biophysical aspects of lipid digestion in human breast milk and Similac infant formulas. *Food Biophysics* 10: 282-291.
- Fujii, A., Crédoz, Y., Maathuis, A.J.H., Nishida, S. (2015). Different viability of probiotic strains accessible in Japanese dairy market demonstrated by *in vitro* methods. *Milk Sci.* 64 (2): 99-106.
- Gagnon, M., Savard, P., Rivière, A., LaPointe, G., Roy, D. (2015). Bioaccessible antioxidants in milk fermented by *Bifidobacterium longum* subsp. *longum* strains. *BioMed Res. Internat.* Article ID 169381, 12 pages. doi.org/10.1155/2015/169381.
- Helou, C., Denis, S., Spatz, M., Marier, D., Rame, V., Alric, M., Tessier, F.J., Gadonna-Widehem, P. (2015). Insights into bread melanoidins: Fate in the upper digestive tract and impact on the gut microbiota using *in vitro* systems. *Food Func.* 6 (12): 3737-3745.
- Lafond, M., Bouza, B., Eyrichine, S., Rouffineau, F., Saulnier, L., Giardina, T., Bonnin, E., Preynat, A. (2015). *In vitro* gastrointestinal digestion study of two wheat cultivars and evaluation of xylanase supplementation. *J. An. Sci. Biotechnol.* 6 (1), Art. #5 Open Access.
- Li, Z., He, X. (2015). Physiologically based *in vitro* models to predict the oral dissolution and absorption of a solid drug delivery system. *Curr. Drug Metabol.* 16: 777-806.
- Nalin, T., Venema, K., Weinstein, D.A., de Souza, C.F.M., Perry, I.D.S., van Wandelen, M.T.R., van Rijn, M., Smit, G.P.A., Schwartz, I.V.D., Derks, T.G.J. (2015). *In vitro* digestion of starches in a dynamic gastrointestinal model: an innovative study to optimize dietary management of patients with hepatic glycogen storage diseases. *J. Inherit. Metab. Dis.* 38: 529-536. Erratum: *J. Inherit. Metab. Dis.* 38 (5): 987.
- Nguyen, T.T.P., Bhandari, B., Cichero, J., Prakash, S. (2015). A comprehensive review on *in vitro* digestion of infant formula. *Food Res. Internat.* 76: 373-386.
- Nimalaratne, C., Savard, P., Gauthier, S.F., Schieber, A., Wu, J. (2015). Bioaccessibility and digestive stability of carotenoids in cooked eggs studied using a dynamic *in vitro* gastrointestinal model. *J. Agr. Food Chem.* 63 (11): 2956-2962.
- Schnorr, S.L., Crittenden, A.N., Venema, K., Marlowe, F., Henry, A.G. 2015. Assessing digestibility of Hadza tubers using a dynamic *in-vitro* model. *American Journal of Physical Anthropology* 158(3): 371-85.



- Ting, Y., Jiang, Y., Lan, Y., Lin, Z., Rogers, M.A., Huang, Q. (2015). Viscoelastic emulsion improved the bioaccessibility and oral bioavailability of crystalline compound: A mechanistic study using in vitro and in vivo models. *Mol. Pharmaceutics* 12 (7): 2229-2236.
- Ting, Y., Zhao, Q., Xia, C., Huang, Q. (2015). Using in vitro and in vivo models to evaluate the oral bioavailability of nutraceuticals. *J. Agr. Food Chem.* 63: 1332-1338.
- Venema K. (2015). Health Effects of Pro and Prebiotics: Utilization of Sophisticated In Vitro Tools. *In: Beneficial Microorganisms in Medical and Health Applications; Series: Microbiology Monographs, Vol. 28; M.-T. Liong (Ed.)* 2015. ISBN: 978-3-319-23212-6. Chapter 1; pp. 1-18.
- Verhoeckx, K. (2015). The impact of food bioactives on health: in vitro and ex-vivo models. Ed. Verhoeckx, K., Cotter, P., Lopez-Exposito, I. et al. Springer Open.
- Villemejeane, C., Wahl, R., Aymard, P., Denis, S., Michon, C. (2015). *In vitro* digestion of short-dough biscuits enriched in proteins and/or fibres, using a multi-compartmental and dynamic system (1): Viscosity measurement and prediction. *Food Chem.* 182: 55-63.
- Williams, C.F., Walton, G.E., Jiang, L., Plummer, S., Garaiova, I., Gibson, G.R. (2015). Comparative analysis of intestinal tract models. *Ann. Rev. Food Sci. Technol.* 6: 329-350.

## 2014

- Aguirre, M., Jonkers, D.M.A.E., Troost, F., Roeselers, G., Venema, K. (2014), In vitro characterization of the impact of different substrates on metabolite production, energy extraction and composition of gut microbiota from lean and obese subjects. *Plos One (Open Access)* Nov. 26: 1-23. doi: 10.1371/journal.pone.0113864.
- Aguirre, M., Ramiro-Garcia, J., Koenen, M.E., Venema, K. (2014). To pool or not to pool? Impact of the use of individual and pooled fecal samples for *in vitro* fermentation studies. *J. Microbiol. Methods* 107: 1-7.
- Alminger, M., Aura, A.-M., Bohn, T., Dufour, C., El, S.N., Gomes, A., Karakaya, S., Martinez-Cuesta, M.C., McDougall, G.J., Requena, T., Santos, C.N. (2014). In vitro models for studying secondary plant metabolite digestion and bioaccessibility. (*Compreh. Rev.*) *Food Sci. Food Safety* 13: 413-436.
- Arroyo-López, F.N., Blanquet-Diot, S, Denis, S., Thévenot, J., Chalancon, S., Alric, M., Rodríguez-Gómez, F., Romero-Gil, V., Jiménez-Díaz, R., Garrido-Fernández, A. (2014). Survival of pathogenic and lactobacilli species of fermented olives during simulated human digestion. *Frontiers Microbiol.* 5: 1-9. doi: 10.3389/micb.2014.00540.
- Barker, R., Abrahamsson, B., Kruusmägi, M. (2014). Application and validation of an advanced gastro-intestinal in vitro model for evaluation of drug product performance in pharmaceutical development. *J. Pharm. Sci.* 103 (11): 3704-3712. doi: 10.1002/jps.24177.
- Bellmann, S., Miyazaki, K., Chonan, O., Ishikawa, F., Havenaar, R. (2014). Fucoidan from *Cladosiphon okamuranus* Tokida added to food has no adverse effect on availability for absorption of divalent minerals in the dynamic multi-compartmental model of the upper gastrointestinal tract. *Food Digestion* 5 (1-3): 19-25. doi: 10.1007/s13228-014-0036-x.
- Bussolo de Souza, C., Roeselers, G., Troost, F., Jonkers, D., Koenen, M.E., Venema, K. (2014). Prebiotic effects of cassava bagasse in TNO's in vitro model of the colon in lean versus obese microbiota. *J. Func. Food* 11: 210-210. Corrigendum: *J. Func. Foods* 13 (2015): 391.
- Fernandez, B., Hammami, R., Savard, P., Jean, J., Fliss, I. (2014). *Pediococcus acidilactici* UL5 and *Lactococcus lactis* ATCC 11454 are able to survive and express their bacteriocin genes under simulated gastrointestinal conditions. *J. Appl. Microbiol.* 116 (3): 677-688.
- Framroze, B., Savard, P., Gagnon, D., Richard, V., Gauthier, S.F. (2014). Comparison of nitrogen bioaccessibility from salmon and whey protein hydrolysates using a human gastrointestinal model (TIM-1). *Func. Foods Health Dis.* 4 (5): 222-231.
- Frank, N., Dubois, M., Scholz, G., Seefelder, W., Chuat, J.-Y., Schilter, B. (2013). Application of gastrointestinal modelling to the study of the digestion and transformation of dietary glycidyl esters. *Food Add. Containm. Part A*, 30 (1): 69-79. doi: 10.1080/19440049.2012.732245.





- Galán, I., García, M.L., Selgas, M.D., Havenaar, R. (2014). Effect of E-beam treatment on the bio-accessibility of folic acid incorporated to ready to eat meat products. *Food Sci. Techn.* 59: 547-552.
- Gittings, S., Turnbull, N., Roberts, C.J., Gershkovich, P. (2014). Dissolution methodology for taste masked oral dosage forms. *J. Controlled Release* 173: 32-42.
- Hanchi, H., Hammami, R., Kourda, R., Ben Hamida, J., Fliss, I. (2014). Bacteriocinogenic properties and in vitro probiotic potential of enterococci from Tunisian dairy products. *Arch. Microbiol.* 196: 331-344.
- Hens, B., Brouwers, J., Anneveld, B., Corsetti, M., Symillides, M., Vertzoni, M., Reppas, C., Turner, D.B., Augustijns, P. (2014). Gastrointestinal transfer: *In vivo* evaluation and implementation in *in vitro* and *in silico* predictive tools. *Eur. J. Pharmaceut. Sci.* 63: 233-242.
- Jedidi, H., Champagne, C.P., Raymond, Y., Farnworth, E., van Calsteren, M-R., Chouinard, P.Y., Fliss, I., (2014). Effect of milk enriched with conjugated linoleic acid and digested in a simulator (TIM-1) on the viability of probiotic bacteria. *Internat. Dairy J.* 37: 20-25.
- Kostewicz, E.S., Abrahamsson, B., Brewster, M., Brouwers, J., Butler, J., Carlert, S., Dickinson, P.A., Dressman, J., Holm, R., Klein, S., Mann, J., McAllister, M., Minekus, M., Muenster, U., Müllertz, A., Verwei, M., Vertzoni, M., Weitschies, W., Augustijns, P. (2014). In vitro models for the prediction of in vivo performance of oral dosage forms. *Eur. J. Pharm. Sci.* 57 (1): 342-366.
- Lefebvre, D.E., Venema, K., Gombau, L., Valerio Jr, L.G., Raju, J., Genevieve, S. Bondy, G.S., Bouwmeester, H., Singh, R.P., Clippinger, A.J., Collnot, E-M., Mehta, R., Stone, V. (2014). Utility of models of the gastrointestinal tract for assessment of the digestion and absorption of engineered nanomaterials released from food matrices. *Nanotox.* 9 (4): 523-542. doi: 10.3109/17435390.2014.948091.
- Miszczycha, S.D., Thévenot, J., Denis, S., Callon, C., Livrelli, V., Alric, M., Montel, M-C., Blanquet-Diot, S., Thevenot-Sergentet, D. (2014). Survival of *Escherichia coli* O26:H11 exceeds that of *Escherichia coli* O157:H7 as assessed by simulated human digestion of contaminated raw milk cheeses. *Internat. J. Food Microbiol.* 172: 40-48.
- Motelica-Wagenaar, A.M., Nauta, A., van den Heuvel, E.G.H.M., Kleerebezem, R. (2014). Flux analysis of the human proximal colon using anaerobic digestion model 1. *Anaerobe* 28: 137-148.
- Ramasamy, U.S., Venema, K., Schols, H.A., Gruppen, H. (2014). Effect of soluble and insoluble fibers within the *in vitro* fermentation of chicory root pulp by human gut bacteria. *J. Agr. Food Chem.* 62: 6794-6802.
- Ramasamy, U.S., Venema, K., Gruppen, H., Schols, H.A. (2014). The fate of chicory root pulp polysaccharides during fermentation in the TNO in vitro model of the colon (TIM-2). *Bioact. Carb. Dietary Fibre* 4: 48-57.
- Reimer, R.A., Maathuis, A.J.H., Venema, K., Lyon, M.R., Gahler, R.J., Wood, S. (2014). Effect of the novel polysaccharide PolyGlycopleX® on short-chain fatty acid production in a computer-controlled in vitro model of the human large intestine. *Nutrients* 6: 1115-1127. doi: 10-3390/nu6031115.
- Ribnicky, D.M., Roopchand, D.E., Oren, A., Grace, M., Poulev, A., Lila, M.A., Havenaar, R., Raskin, I. (2014). Effects of a high fat meal matrix and protein complexation on the bioaccessibility of blueberry anthocyanins using the TNO gastrointestinal model (TIM-1). *Food Chem.* 142: 349-357.
- Ribnicky, D.M., Roopchand, D.E., Poulev, A., Kuhn, P., Oren, A., Cefalu, W.T., Raskin, I. (2014). *Artemisia dracunculus* L. polyphenols complexed to soy protein show enhanced bioavailability and hypoglycemic activity in C57BL/6 mice. *Nutrition* 30: S4-S10.
- Rogers, M.A., Yan, Y.-F., Ben-Elazar, K., Lan, Y., Faig, J., Smith, K., Uhrich, K.E. (2014). Salicylic Acid (SA) Bioaccessibility from SA-Based Poly(anhydrideester). *Biomacromolecules* 15: 3406-3411.
- Van Loo-Bouwman, C.A., Naber, T.H.J., Minekus, M., van Breemen, R.B., Hulshof, P.J.M., Schaafsma, G. (2014). Food matrix effects on bioaccessibility of  $\beta$ -carotene can be measured in an in vitro gastrointestinal model. *J. Agric. Food Chem.* 62 (4): 950-955.
- Venema, K. (2014). *In vitro* assessment of the bioactivity of food oligosaccharides. In: *Food Oligosaccharides: Production, Analysis and Bioactivity*. Eds.: F.J. Moreno & M. Luz Sanz. John Wiley & Sons, Ltd. Pp. 219-237.
- Westerhout, J., van de Steeg, E., Grossouw, D., Zeijdner, E.E., Krul, C.A.M., Verwei, M., Wortelboer, H.M. (2014). A new approach to predict human intestinal absorption using porcine intestinal tissue and biorelevant matrices. *Eur. J. Pharmac. Sci.* 63: 167-177.



## 2013

- Culen, M., Rezacova, A., Jampilek, J., Dohnal, J. (2013). Designing a dynamic dissolution method: A review of instrumental options and corresponding physiology of stomach and small Intestine. *J. Pharmaceutical Sci.* 102 (9): 2995-3017. doi: 10.1002/jps.23494.
- Domoto, N., Koenen, M.E., Havenaar, R., Mikajiri, A., Chu, B.-S., (2013). The bioaccessibility of eicosapentaenoic acid was higher from phospholipid food products than from mono- and triacylglycerol food products in a dynamic gastrointestinal model. *Food Sci. Nutr.* 1 (6): 409-415.
- González-Arias, C.A., Marín, S., Sanchis, V., Ramos, A.J. (2013). Mycotoxin bioaccessibility/ absorption assessment using *in vitro* digestion models: a review. *World Mycotoxin J.* 6 (2): 167-184.
- Havenaar, R., Anneveld, B., Hanff, L.M., De Wildt, S.N., De Koning, B.A.E., Mooij, M.G., Lelieveld, J.P.A., Minekus, M. (2013). In vitro gastrointestinal model (TIM) with predictive power, even for infants and children? *Internat. J. Pharm.* 457: 327-332.
- Havenaar, R., de Jong, A., Koenen, M.J., van Bilsen, J., Janssen, A.M., Labij, E., Westerbeek, H.J.M. (2013). Digestibility of transglutaminase cross-linked caseinate versus native caseinate in an in vitro multi-compartmental model simulating young child and adult gastrointestinal conditions. *J. Agric. Food Chem.* 61 (31): 7636-7644.
- Helbig, A., Silletti, E., van Aken, G.A., Oosterveld, A., Minekus, M., Hamer, R.J., Gruppen, H. (2013). Lipid digestion of protein stabilized emulsions investigated in a dynamic in vitro gastro-intestinal model system. *Food Dig.* 4: 58-68. doi: 10.1007/s13228-012-0029-6.
- Koziolek, M., Garbacz, G., Neumann, M., Weitschies, W. (2013). Simulating the postprandial stomach: Biorelevant test methods for the estimation of intragastric drug dissolution. *Mol. Pharmaceutics* 10: 2211-2221.
- Maestre, R., Douglass, J.D., Kodukula, S., Medina, I, Storch, J. (2013). Alterations in the intestinal assimilation of oxidized PUFAs are ameliorated by a polyphenol-rich grape seed extract in an in vitro model and Caco-2 cells. *J. Nutr.* 143: 295-301.
- Martinez, R.C.R., Cardarelli, H.R., Borst, W., Albrecht, S., Schols, H., Gutierrez, O.P., Maathuis, A.J.H., de Melo Franco, B.D.G., De Martinis, E.C.P., Zoetendal, E.G., Venema, K., Saad, S.M.I., Smidt, H. (2013). Effect of galactooligosaccharides and *Bifidobacterium animalis* Bb-12 on growth of *Lactobacillus amylovorus* DSM 16698, microbial community structure, and metabolic production in an in vitro colonic model set up with human or pig microbiota. *FEMS Microbiol. Ecol.* 84: 110-123.
- Speranza, A., Corradini, M.G., Hartman, T.G., Ribnicky, D., Oren, A., Rogers, M.A. (2013). Influence of emulsifier structure on lipid bioaccessibility in oil/water nanoemulsions. *J. Agric. Food Chem.* 61 (26): 6505-6515.
- Van den Abbeele, P., Venema, K., Van de Wiele, T., Verstraete, W., Possemiers, S. (2013). Different human gut models reveal the distinct fermentation patterns of arabinoxylan versus inulin. *J. Agric. Food Chem.* 61: 9819-9827.
- Venema, K., Van den Abbeele, P. (2013). Experimental models of the gut microbiome. *Best Practice & Research Clinical Gastroenterology* 27: 115-126.

## 2012

- Abrahamse, E., Minekus, M., van Aken, G.A., Van de Heijning, B., Knol, J., Bartke, N., Oozeer, R., Van der Beek, E.M. and Ludwig, T. (2012). Development of the digestive system - Experimental challenges and approaches of infant lipid digestion. *Food Dig.* 3 (1-3): 63-77.
- Bel-Rholid, R., Pagé-Zoerkler, N., Fumeaux, R., Ho-Dac, T., Chuat, J-Y., Sauvageat, J.L., Raab, T. (2012). Hydrolysis of chicoric and caftaric acids with esterases and *Lactobacillus johnsonii* in vitro and in a gastrointestinal model. *J. Agric. Food Chem.* 60: 9236-9241.
- Björck, I., Ostman, E., Kristensen, M., Mateo Anson, N., Price, R., Haenen, G., Havenaar, R., Bach Knudsen, K-E., Frid, A., Mykkanen, H., Welch, R., Riccardi, G. (2012). Cereal grains for nutrition and health benefits: Overview of results from in vitro, animal and human studies in the HEALTHGRAIN Project. *Trends Food Sci. Techn.* 25 (2): 87-100.



- Blanquet-Diot, S., Denis, S., Chalancon, S., Chaira, F., Cardot, J.-M., Alric, M. (2012). Use of artificial digestive systems to investigate the biopharmaceutical factors influencing the survival of probiotic yeast during gastrointestinal transit in humans. *Pharm. Research* 29: 1444–1453.
- Dickinson, P.A., Abu Rmaileh, R., Ashworth, L., Barker, R.A., Burke, W.M., Patterson, C.M., Stainforth, N., Yasin, M. (2012). An investigation into the utility of a multi-compartmental, dynamic, system of the upper gastrointestinal tract to support formulation development and establish bioequivalence of poorly soluble drugs. *AAPS Journal* 14 (2): 196-205.
- Etcheverry, P., Grusak, M.A., Fleige, L.E. (2012). Application of *in vitro* bioaccessibility and bioavailability methods for calcium, carotenoids, folate, iron, magnesium, polyphenols, zinc, and vitamins B6, B12, D, and E. *Frontiers Physiology* p1-22; doi: 10.3389/fphys.2012.00317.
- Garbacz, G., Klein, S. (2012). Dissolution testing of oral modified-release dosage forms. *J. Pharmacy Pharmacology* 64: 944-958.
- Guerra, A., Etienne-Mesmin, L., Livrelli, V., Denis, S., Blanquet-Diot, S., Alric, M. (2012). Relevance and challenges in modeling human gastric and small intestinal digestion. *Trends Biotechnol.* 30 (11): 591-600.
- Hatanaka, M., Nakamura, Y., Maathuis, A.J.H., Venema, K., Murota, I., Yamamoto, Y. (2012). Influence of *Bacillus subtilis* C-3102 on microbiota in a dynamic *in vitro* model of the gastrointestinal tract simulating human conditions. *Beneficial Microbes* 3 (3): 229-236.
- Larsson Alminger, M., Eklund-Jonsson, C., Kidman, S., Langton, M. (2012). Starch microstructure and starch hydrolysis in barley and oat tempe during *in vitro* digestion. *Food Dig.* 3: 53-62.
- Lila, M.A., Ribnicky, D.M., Rojo, L.E., Rojas-Silva, P., Oren, A., Havenaar, R., Janle, E.M., Raskin, I., Yousef, G.G., Grace, M.H. (2012). Complementary approaches to gauge the bioavailability and distribution of ingested berry polyphenols. *J. Agric. Food Chem.* 60: 5763-5771.
- Lvova, L., Denis, S., Barra, A., Mielle, P., Salles, C., Vergoignan, C., Di Natale, C., Paolesse, R., Temple-Boyer, P., Feron, G. (2012). Salt release monitoring with specific sensors in '*in vitro*' oral and digestive environments from soft cheeses. *Talanta* 97: 171-180.
- Maathuis, A.J.H., Van den Heuvel, E.G., Schoterman, M.H.C., Venema, K. (2012). Galactooligo-saccharides have prebiotic activity in a dynamic *in vitro* colon model using a <sup>13</sup>C-labeling technique. *J. Nutr.* 142 (7): 1205-1212.
- Mäkivuokko, H., Wacklin, P., Koenen, M.E., Laamanen, K., Alakulppi, N., Venema, K., Mättö, J. (2012). Isolation of bifidobacteria for blood group secretor status targeted personalised nutrition. *Microbial Ecology Health Disease* 23: 28-34.
- Martin, A.H. and De Jong, G.A.H. (2012). Enhancing the *in vitro* Fe<sup>2+</sup> bioaccessibility using ascorbate and cold-set whey protein gel particles. *Dairy Sci. Technology* 92 (2): 133-149.
- Rehman, A., Heinsen, F.-A., Koenen, M.E., Venema, K., Knecht, H., Hellmig, S., Schreiber, S., Ott, S.J. (2012). Effects of probiotics and antibiotics on the intestinal homeostasis in a computer controlled model of the large intestine. *MBC Microbiology* 12, 47: 1-10.

## 2011

- Brouwers, J., Anneveld, B., Goudappel, G.J., Duchateau, G., Annaert, P., Augustijns, P., Zeijdner, E. (2011). Food-dependent disintegration of immediate release fosamprenavir tablets: *In vitro* evaluation using magnetic resonance imaging and a dynamic gastrointestinal system. *Eur. J. Pharmaceutics Biopharmaceutics*, 77: 313–319.
- Etienne-Mesmin, L., Livrelli, V., Privat, M., Denis, S., Cardot, J.M., Alric, M., Blanquet-Diot, S. (2011). Effect of a new probiotic *Saccharomyces cerevisiae* strain on survival of *Escherichia coli* O157:H7 in a dynamic gastrointestinal model. *Applied Environm. Microbiol.* 77: 1127-1131.
- Kheadr, E.E., Dabour, N., Petit, G., Vuilleumard, J.-C. (2011). Probiotic-delivering capacity of dairy products: *In vitro* assessment using a gastro-intestinal dynamic model. *Internat. J. Probiotics Prebiotics* 6 (2): 73-80.
- Lafond, M., Bouza, B., Eyriche, S., Bonnin, B., Crost, E.H., Geraert, P.-A., Giardina, T., Ajandouz, E.H. (2011). An integrative *in vitro* approach to analyse digestion of wheat polysaccharides and the effect of enzyme supplementation. *Br. J. Nutr.* 106: 264–273.





- Martinez, R.C.R., Aynaou, A-E., Albrecht, S., Schols, H.A., De Martinis, E.C.P., Zoetendal, E.G., Venema, K., Saad, S.M.I., Smidt, H. (2011). In vitro evaluation of gastrointestinal survival of *Lactobacillus amylovorus* DSM 16698 alone and in combination with galactooligosaccharides, milk and/or *Bifidobacterium animalis* subsp. *lactis* bb-12. *Internat. J. Food Microbiol.* 149: 152-158.
- Mateo Anson, N., Havenaar, R., Vaes, W., Coulier, L., Venema, K., Selinheimo, E., Bast, A., Haenen, G.R.M.M. (2011). Effect of bioprocessing of wheat bran in whole meal wheat breads on the colonic SCFA production in vitro and postprandial plasma concentrations in men. *Food Chemistry* 128: 404-409.
- Nabil, S., Gauthier, S.F., Drouin, R., Poubelle, P.E., Pouliot, Y. (2011). In vitro digestion of proteins and growth factors in a bovine whey protein extract as determined using a computer-controlled dynamic gastrointestinal system (TIM-1). *Food Dig.* 2: 13-22.
- Taberero, M., Venema, K., Maathuis, A.J.H., Saura-Calixto, F.D. (2011). Metabolite production during in vitro colonic fermentation of dietary fiber: Analysis and comparison of two European diets. *J. Agric. Food Chem.* 59 (16): 8968-8975.
- Torres-Escribano, S., Denis, S., Blanquet-Diot, S., Galatayud, M., Barrios, L., Velez, D., Alric, M., Montoro, R. (2011). Comparison of a static and a dynamic *in vitro* model to estimate the bioaccessibility of As, Cd, Pb and Hg from food reference materials *Fucus* sp. (IAEA-140/TM) and lobster hepatopancreas (TORT-2). *Sci. Total Environment* 409: 604-611.
- Zhu, Y. (2011). Response to the article "In vitro human digestion models for food application". *Food Chemistry*, 128: 820-821.
- Zhu, Y., Havenaar, R., Venema, K. (2011). Response to: Pitino et al. (2010). *Food Microbiology* 27: 1121-1127 "Survival of *Lactobacillus rhamnosus* strains in the upper gastrointestinal tract". *Food Microbiology*, 28: 1110.

## 2010

- Binsl, T.W., De Graaf, A.A., Venema, K., Heringa, J., Maathuis, M., De Waard, P., Van Beek, J.H.G.M. (2010). Measuring non-steady-state metabolic fluxes in starch-converting faecal microbiota *in vitro*. *Beneficial Microbes*, December 1 (4): 391-405.
- Chen, L., Hebrard, G., Beyssac, E., Denis, S., Subirade, M. (2010). *In vitro* study of the release properties of soy-zein protein microspheres with a dynamic artificial digestive system. *J. Agric. Food Chem.* 58: 9861-9867.
- David, S.E., Strozyk, M.M., Naylor, T.A. (2010). Using TNO gastro-Intestinal Model (TIM-1) to screen potential formulations for a poorly soluble development compound. *J. Pharm. Pharmacol.* 62: 1236-1237.
- De Graaf, A.A., Maathuis, A., De Waard, P., Deutz, N.E.P., Dijkema, C., De Vos, W.M., Venema, K. (2010). Profiling human gut bacterial metabolism and its kinetics using [U-13C]glucose and NMR. *NMR Biomed.* 23: 2-12.
- Hemery, Y.M., Mateo Anson, N., Havenaar, R., Haenen, G.R.M.M., Noort, M.W.J. Rouau, X. (2010). Dry-fractionation of wheat bran increases the bioaccessibility of phenolic acids in breads made from processed bran fractions. *Food Res. Internat.* 43 (5): 1429-1438.
- Khalf, M., Dabour, N., Kheadr, E., Fliss, I. (2010). Viability of probiotic bacteria in maple sap products under storage and gastrointestinal conditions. *Bioresource Technology* 101: 7966-7972.
- Kheadr, E., Zihler, A., Dabour, N., Lacroix, C., Le Blay, G., Fliss, I. (2010). Study of the physicochemical and biological stability of pediocin PA-1 in the upper gastrointestinal tract conditions using a dynamic *in vitro* model. *J. Appl. Microbiol.* 109: 54-64.
- Maathuis, A., Keller, D., Farmer, S. (2010). Survival and metabolic activity of the GanedenBC<sup>30</sup> strain of *Bacillus coagulans* in a dynamic *in vitro* model of the stomach and small intestine. *Beneficial Microbes* 1 (1): 31-36.
- Mateo Anson, N. (2010, May 28). Bioactive compounds in whole grain wheat. PhD Thesis, Maastricht University. Riddeprint b.v. The Netherlands. ISBN: 978-90-5335-275-5.
- Mateo Anson, N., Havenaar, R., Bast, A., Haenen, G.R.M.M. (2010). Antioxidant and anti-inflammatory capacity of bioaccessible compounds from wheat fractions after gastrointestinal digestion. *J. Cereal Sci.* 51 (1): 110-114.
- McAllister, M. (2010). Dynamic Dissolution: A Step Closer to Predictive Dissolution Testing? *Molecular Pharmaceutics* 7 (5): 1374-1387.



- Ohrvik, V., Ohrvik, H., Talkvist, J., Witthöft, C. (2010). Folates in bread: retention during bread-making and *in vitro* bioaccessibility. *Eur. J. Nutr.* 49 (6): 365-372.
- Rajilic-Stojanovic, M., Maathuis, A., Heilig, H., Venema, K., De Vos, W., Smidt, H. (2010). Evaluating the microbial diversity of an *in vitro* model of the human large intestine by phylogenetic microarray analysis. *Microbiology* 156: 3270-3281.
- Richelle, M., Sanchez, B., Tavazzi, I., Lambelet, P., Bortlik, K., Williamson, G. (2010). Lycopene isomerisation takes place within enterocytes during absorption in human subjects. *Br. J. Nutr.* 103: 1800-1807.
- Rose, D.J., Venema, K., Keshavarzian, A., Hamaker, B.R. (2010). Starch-entrapped microspheres show a beneficial fermentation profile and decrease in potentially harmful bacteria during *in vitro* fermentation in faecal microbiota obtained from patients with inflammatory bowel disease. *Br. J. Nutr.* 103: 1514-1524.
- Zeilmaker, M.J., Bakker, M.I., Schothorst, R., Slob, W. (2010). Risk assessment of N-nitrosodimethyl-amine formed endogenously after fish-with-vegetable meals. *Toxicological Sci.* 116 (1): 323-335.

## 2009

- Bel-Rhliid, R., Crespy, V., Pagé-Zoerkler, N., Nagy, K., Raab, T., Hansen, C-E. (2009). Hydrolysis of rosmarinic acid from Rosemary extract with esterases and *Lactobacillus johnsonii* *in vitro* and in a gastrointestinal model. *J. Agric. Food Chem.* 57: 7700-7705.
- Blanquet-Diot, S., Soufi, M., Rambeau, M., Rock, E., Alric, M. (2009). Digestive stability of xanthophylls exceeds that of carotenes as studied in a dynamic *in vitro* gastrointestinal system, *J. Nutr.* 139 (5): 876-883.
- Déat, E., Blanquet-Diot, S., Jarrige, J-F., Denis, S., Beyssac, E., Alric, M. (2009). Combining the dynamic TNO-gastrointestinal tract system with a Caco-2 cell culture model: Application to the assessment of lycopene and  $\alpha$ -tocopherol bioavailability from a whole food. *J. Agric. Food Chem.* 57: 11314-11320. Correction of Fig. 4: *JAFc* p 11314.
- Gervais, R., Gagnon, F., Kheadr, E.E., Van Calsteren, R-M., Farnworth, E.R., Fliss, I., Chouinard, P.Y. (2009). Bioaccessibility of fatty acids from conjugated linoleic acid-enriched milk and milk emulsions studied in a dynamic *in vitro* gastrointestinal model. *Internat. Dairy J.* 19: 574-581.
- Kong, H., Wang, M., Venema, K., Maathuis, A., Van der Heijden, R., Van der Greef, J., Xu, G., Hankemeier, T. (2009). Bioconversion of red ginseng saponins in the gastro-intestinal tract *in vitro* model studied by high-performance liquid chromatography–high resolution Fourier transform ion cyclotron resonance mass spectrometry. *J. Chromatography A*, 1216: 2195–2203.
- Kovatcheva-Datchary, P., Egert, M., Maathuis, A., Rajilic-Stojanovic, M., De Graaf, A., Smidt, H., De Vos, W. and Venema, K. (2009). Linking phylogenetic identities of bacteria to starch fermentation in an *in vitro* model of the large intestine by RNA-based stable isotope probing. *Environmental Microbiology*, 11(4): 914–926.
- Maathuis, A., Hoffman, A., Evans, A., Sanders, L., Venema, K. (2009). The Effect of the undigested fraction of maize products on the activity and composition of the microbiota determined in a dynamic *in vitro* model of the human proximal large intestine. *J. American College of Nutrition*, Vol. 28 (6): 657–666.
- Mateo Anson, N., Selinheimo, E., Havenaar, R., Aura, A.M., Mattila, I., Lehtinen, P., Bast, A., Poutanen, K., Haenen, G.R.M.M. (2009). Bioprocessing of wheat bran improves *in vitro* bioaccessibility and colonic metabolism of phenolic compounds. *J. Agric. Food Chem.* 57: 6148-6155.
- Mateo Anson, N., Van den Berg, R., Havenaar, R., Bast, A., Haenen, G. (2009). Bioavailability of ferulic acid is determined by its bioaccessibility. *J. Cereal Sci.* 49 (2): 295-300.
- Venema, K., Havenaar, R., Minekus, M. (2009). Improving *in vitro* simulation of the stomach and intestines. In: *Designing Functional Foods and Controlling Food Structure Breakdown and Nutrition Absorption*, Elsevier. pp 314-339.

## 2008

- De Graaf, A.A., Venema, K. (2008). Gaining insight into microbial physiology in the large intestine: A special Role for stable isotopes. *Advances Microbial Physiol.* 53: 73-170.



- Eklund-Jonsson, C., Sandberg, A-S., Hulthen, L., Larsson-Alminger, M. (2008). Tempé fermentation of whole grain barley increased human iron absorption and *in vitro* iron availability. *The Open Nutr. J.* 2: 42-47.
- Meunier, J.P., Manzanilla, E.G., Anguita, M., Denis, S., Perez, J.F., Gasa, J., Cardot, J-M., Garcia, F., Moll, X., Alric, M. (2008). Evaluation of a dynamic *in vitro* model to simulate the porcine ileal digestion of diets differing in carbohydrate composition. *J. Anim. Sci.* 86: 1156-1163.
- Mitea, C., Havenaar, R., Drijfhout, J.W., Edens, L., Dekking, L., Koning, F. (2008). Efficient degradation of gluten by prolyl endoprotease in a gastrointestinal model: Implications for coeliac disease. *Gut* 57: 25-32.
- Ohrvik, V., Witthöft, C., (2008). Orange juice is a good folate source in respect to folate content and stability during storage and simulated digestion. *Eur. J. Nutr.* 47: 92-98.
- Reis, P.M., Raab, T.W., Chuant, J.Y., Leser, M., Miller, R., Watzke, H., Holmberg, K. (2008). Influence of surfactants on lipase fat digestion in a model gastrointestinal system. *Food Biophysics* 3: 370-381.
- Salmon, F., Verwei, M., Havenaar, R. (2008). When oral bioavailability becomes a problem. *Eur. Biopharm. Rev.:* 78-83.

## 2007

- Avantaggiato, G., Havenaar, R., Visconti, A. (2007). Assessment of the multi-mycotoxin binding efficacy of a carbon/aluminosilicate based product in an *in vitro* gastrointestinal model. *J. Agric. Food Chem.* 55: 4810-4819.
- Bellmann, S. und Havenaar, R. (2007). Die Fettbindenden Eigenschaften von Ballaststoffen *in vivo* und *in vitro*. *Ernährungs Umschau* 8/07: 450-455.
- Egert, M., de Graaf, A., Maathuis, A., de Waard, P., Plugge, C.M., Smidt, H., Deutz, N.E.P., Dijkema, C., de Vos, W.M., Venema, K. (2007). Identification of glucose-fermenting bacteria present in an *in vitro* model of the human intestine by RNA-stable isotope probing. *FEMS Microb. Ecol.* 60 (1): 126-135.
- Lankhorst, C., Tran, Q., Havenaar, R., Hendriks, W., van der Poel, A. (2007). The effect of extrusion on the nutritional value of canine diets as assessed by *in vitro* indicators. *Animal Feed Sci. Techn.* 138: 285–297.
- Meunier, J.-P., Cardot, J.M., Manzanilla, E.G., Wysshaar, M., Alric, M. (2007). Use of spray-cooling technology for development of microencapsulated capsicum oleoresin for the growing pig as an alternative to in-feed antibiotics: A study of release using *in vitro* models. *J. Anim. Sci.* 86: 1156-1163.
- Souliman, S., Beyssac, E., Cardot, J-M., Denis, S., Alric, M. (2007). Investigation of the biopharmaceutical behavior of theophylline hydrophilic matrix tablets using USP methods and an artificial digestive system. *Drug Development Industrial Pharm.* 33 (4): 475-483.
- Tenjarla, S., Romasanta, V., Zeijdner, E., Villa, R., Moro, L. (2007). Release of 5-aminosalicylate from an MMX mesalamine tablet during transit through a simulated gastrointestinal tract system. *Adv Ther.* 24 (4): 826-840.
- Van de Wiele, T., Oomen, A., Wragg, J., Cave, M., Minekus, M., Hack, A., Cornelis, C., Rempelberg, C., De Zwart, L., Klinck, B., Van Wijnen, J., Verstraete, W., Sips, A. (2007). Comparison of five *in vitro* digestion models to *in vivo* experimental results: Lead bioaccessibility in the human gastrointestinal tract. *J. Experimental Sci. Health. Part A*, 42: 1203-1211.

## 2006

- Faessler, C, Arrigoni, E., Venema, K., Brouns, F., Amado, R. (2006). *In vitro* fermentability of differently digested resistant starch preparations. *Mol. Nutr. Food Res.* 50: 1220-1228.
- Faessler, C, Arrigoni, E., Venema, K., Hafner, V., Brouns, F., Amado, R. (2006). Digestibility of resistant starch containing preparation using two *in vitro* models. *Eur. J. Nutr.* 45 (8): 445-453.
- Finglas, P.M., De Meer, K., Molloy, A., Verhoef, P., Pietrzik, K., Powers, H.J., Van der Straeten, D., Jägerstad, M., Varela-Moreiras, G., Van Vliet, T., Havenaar, R., Buttriss, J., Von Wright, A.J.A. (2006). Research goals for folate and related B vitamin in Europe. *Eur. J. Clin. Nutr.* 60 (2): 287-294.
- Gao, K., Xu, A., Krul, C., Venema, K., Liu, Y., Niu, Y., Lu, J., Bensoussan, L., Seeram, N.P., Heber, D., Henning, S.M. (2006). Of the major phenolic acids formed during human microbial fermentation of tea, citrus and soy flavonoids supplements, only 3,4-dihydroxyphenylacetic acid has antiproliferative activity. *J. Nutr.* 136: 52-57.



- Naylor, T.A., Connolly, P.C., Martini, L.G., Elder, D.P., Minekus, M., Havenaar, R., Zeijdner, E. (2006). Use of a gastrointestinal model and Gastroplus™ for the prediction of *in vivo* performance. *Industrial Pharmacy*, Issue 12: 9-12. (also published in: *Applied Therapeutic Research* 6 (1): 15-19).
- Naylor, T.A., Connolly, P.C., Martini, L.G., Elder, D.P., Minekus, M., Havenaar, R., Zeijdner, E. (2006). Use of a gastrointestinal model and Gastroplus™ for the prediction of *in vivo* performance. *Applied Therapeutic Research* 6 (1): 15-19.
- Souliman, S., Blanquet, S., Beysac, E., Cardot, J-M. (2006). A level A *in vitro/in vivo* correlation in fasted and fed states using different methods: Applied to solid immediate release oral dosage form. *Eur. J. Pharmaceutical Sci.* 27: 72-79.
- Verwei, M., Freidig, A.P., Havenaar, R., Groten, J. P. (2006). Predicted serum folate concentrations based on *in vitro* studies and kinetic modeling are consistent with measured folate concentrations in humans. *J. Nutr.* 136 (12): 3074-3078.
- Yoo, J.Y., Chen, X.D. (2006). GIT Physicochemical modeling - A critical review. *Internat. J. Food Engineering* 2 (4), article 4.

## 2005

- Blanquet, S., Garrait, G., Beysac, E., Perrier, C., Denis, S., Hebrard, G., Alric, M. (2005). Effects of cryoprotectants on the viability and activity of freeze dried recombinant yeasts as novel oral drug delivery systems assessed by an artificial digestive system. *Eur. J. Pharmaceutics Biopharmaceutics* 61: 32-39.
- De Jong, L. (2005). Assessing Bioavailability. A new integrated methodology that predict long-term effects of foods in only a short time. *World Food Ingredients* Oct./Nov. pp 110-112.
- Haraldsson, A-K., Rimsten, L., Alminger, M., Andersson, R., Aman, P., Sandberg, A-S. (2005). Digestion of barley malt porridges in a gastrointestinal model: Iron dialysability, iron uptake by Caco-2 cells and degradation of  $\beta$ -glucan. *J. Cereal Sci.* 42: 243-254.
- Minekus, M., Jelier, M., Xiao, J.-Z., Kondo S., Iwatsuki, K., Kokubo, S., Bos, M, Dunnewind, B. and Havenaar, R. (2005). Effect of partially hydrolyzed guar gum (PHGG) on the bioaccessibility of fat and cholesterol. *Biosci. Biotechnol. Biochem.* 69 (5): 932-938.
- Schaafsma, G. (2005). The Protein Digestibility-Corrected Amino Acid Score (PDCAAS). A concept for describing protein quality in foods and food ingredients: A critical review. *J. AOAC Internat.* 88 (3): 988-994.
- Van Nuenen, M. (2005, November 18). Composition and activity of gut microbiota in inflammatory bowel disease. PhD Thesis, Erasmus University Rotterdam. Ponsen & Looijen b.v., Wageningen, The Netherlands. ISBN: 90-6464-234-6.
- Van Nuenen, M., De Ligt, R.A., Doornbos, R.P., Venema, K., Van der Woude, C.J., Kuipers, E.J. (2005). The influence of microbial metabolites on human intestinal epithelial cells and macrophages *in vitro*. *FEMS Immunol Med Microbiol* 45 (2):183-189.
- Venema, K., Vermunt, S.H.F., Brink, E.J. (2005). D-Tagatose increases butyrate production by colonic microbiota in healthy men and women. *Microbial Ecology Health Dis.* 17: 47-57.
- Verwei, M., Arkbåge, K., Groten, J.P., Witthöft, C., Van den Berg, H., Havenaar, R. (2005). The effect of folate binding proteins on bioavailability of folate from milk products. *Trends Food Sci. Techn.* 16: 307-310.

## 2004

- Avantaggiato, G., Havenaar, R., Visconti, A. (2004). Evaluation of the intestinal absorption of deoxynivalenol and nivalenol by an *in vitro* gastrointestinal model, and the binding efficacy of activated carbon and other adsorbent materials. *Food Chemical Tox.* 42 (5): 817-824.
- Blanquet, S., Zeijdner, E., Beysac, E., Meunier, J-P., Denis, S., Havenaar, R., Alric, M. (2004). A dynamic artificial gastrointestinal system for studying the behavior of orally administered drug dosage forms under various physiological conditions. *Pharmaceutical Research.* 21 (4): 585-591.
- Blanquet, S., Antonelli, R., Laforet, L., Denis, S., Marol-Bonnin, S., Alric, M. (2004). Living recombinant *Saccharomyces cerevisiae* secreting proteins or peptides as a new drug delivery system in the gut. *J. Biotechn.* 110: 37-49.



- Dominy, N.J., Davoust, E., Minekus, M. (2004). Adaptive function of soil consumption: an *in vitro* study modeling the human stomach and small intestine. *J. Exp. Biol.* 207: 319-324.
- Freidig, A. and Verwei, M. (2004). Integration of *in vitro* data in kinetic models for pharmaceuticals and nutrients. *Netherlands Centre Altern. Animal Use Newsletter* 16: 1-3.
- Krul, C.A.M., Zeilmaker, M., Schothorst, R., Havenaar, R. (2004). Intra-gastric formation and modulation of N-nitrosodimethylamine in a dynamic *in vitro* gastrointestinal model under human physiological conditions. *Food Chem. Toxicology* 42: 51-63.
- Van Nuenen, H.M.C., Venema, K., Van der Woude, J.C.J., Kuipers, E.J. (2004). The metabolic activity of fecal microbiota from healthy individuals and patients with inflammatory bowel disease. *Digestive Disease Sciences* 49 (3): 485-491.
- Verwei, M. (2004, September 15). Bioavailability of folate from fortified milk products. PhD Thesis Wageningen University. The Netherlands ISBN: 90-8504-080-9.
- Verwei, M., Arkbåge, K., Mocking, H., Havenaar, R., Groten, J. (2004). The binding of folic acid and 5-methyltetrahydrofolate to folate-binding proteins during gastric passage differs in a dynamic *in vitro* gastrointestinal model. *J. Nutr.* 134: 31-37.

### 2003

- Arkbåge, K. (2003). Vitamin B12, folate and folate binding proteins in dairy products. Analysis, process retention and bioavailability. PhD Thesis Swedish University of Agricultural Sciences. Uppsala, Sweden. SLV Service/Repro. ISBN: 91-567-6470-6.
- Arkbåge, K., Verwei, M., Havenaar, R., Witthöft, C. (2003). Folic acid and (6S)-5-methyltetrahydrofolate bioaccessibility decreases after addition of folate-binding protein to yogurt as studied in a dynamic *in vitro* gastrointestinal model. *J. Nutr.* 133: 3678-3683.
- Avantaggiato, G., Havenaar, R. and Visconti, A. (2003). Assessing the zearalenone binding activity of adsorbent materials during passage through a dynamic gastrointestinal model. *Food Chemical Tox.* 41: 1283-1290.
- Blanquet, S., Meunier, J.P., Minekus, M., Marol-Bonnin S., Alric, M. (2003). Recombinant *Saccharomyces cerevisiae* expressing a P450 in artificial digestive systems: a model for biodegradation in the human digestive environment. *Appl. Env. Microbiol.* 69: 2884-2892.
- Lamers, R.-J., Wessels, E., Van de Sandt, J., Venema, K., Schaafsma, G., Van der Greef, J., Van Nesselrooij J. (2003). A pilot study to investigate effects of inulin on Caco-2 cells through *in vitro* metabolic fingerprinting. *J. Nutr.* 133: 3080-3084.
- Salovaara, S., Larsson-Alminger, M., Eklund-Jonsson, C., Andlid, T., Sandberg, A.-S. (2003). Prolonged transit time through the stomach and small intestine improves iron dialyzability and uptake *in vitro*. *J. Agric. Food Chem.* 51: 5131-5136.
- Van Nuenen, H.M.C., Meyer, P.D., Venema, K. (2003). The effect of various inulins and *Clostridium difficile* on the metabolic activity of the human colonic microbiota *in vitro*. *Microbial Ecology in Health and Disease* 15 (2-3): 137-144.
- Venema, K. and Maathuis, A. (2003). A PCR-based method for identification of bifidobacteria from the human alimentary tract at the species level. *FEMS Microbiol Letters* 224(1): 143-149.
- Venema, K. and Van de Sandt, H. (2003). Interaction between food components, intestinal microbiota and intestinal mucosa as a function of intestinal health. *AgroFoods* 14 (March/April): 62-66.
- Venema, K., Van Nesselrooij, J., Lamers, R.-J., Van de Sandt, J. (2003). Metabolic fingerprinting of Caco-2 cells. Effect of inulin and its fermentative metabolites. *Nutrafoods* 2(1): 5-12.
- Venema, K., Van Nuenen, H.M.C., Van den Heuvel, E.G., Pool, W., Van der Vossen, J.M.B.M. (2003). The effect of lactulose on the composition of the intestinal microbiota and short-chain fatty acid production in human volunteers and a computer-controlled model of the proximal large intestine. *Microbial Ecology Health Disease*, 15 (2-3): 94-105.
- Verwei, M., Arkbåge, K., Havenaar, R., Van den Berg, H., Witthöft, C., Schaafsma, G. (2003). Folic acid and 5-Methyltetrahydrofolate in fortified milk are bioaccessible as determined in a dynamic *in vitro* gastrointestinal model. *J. Nutr.* 133: 2377-2383.





## 2002

- Havenaar, R. (2002). GI Model. FIDO: An alternative to invasive animal research. *Petfood Industry* 44 (3): 12-18.
- Krul, C., Humblot, C., Philippe, C., Vermeulen, M., Van Nuenen, M., Havenaar, R., Rabot, S. (2002). Metabolism of sinigrin (2-propenyl glucosinolate) by the human colonic microflora in a dynamic *in vitro* large-intestinal model. *Carcinogenesis* 23 (6): 1009-1016.
- Oomen, A.G., Hack, A., Minekus, M., Zeijdner, E., Cornelis, C., Schoeters, G., Verstraete, W., Van de Wiele, T., Wragg, J., Rempelberg, C.J.M., Sips, A.J.A.M., Van Wijnen, J.H. (2002). Comparison of five *in vitro* digestion models to study the bioaccessibility of soil contaminants. *Environm. Sci. Techn.* 36 (15): 3326-3334.
- Zeijdner, E.E., Vlek, J. (2002). TIM: a versatile tool in studying paediatric pharmacokinetics. *The Regulatory Review (The Journal of the British Institute of Regulatory Affairs)* 5 (7):18-21.

## 2001

- Blanquet, S., Marol-Bonin, S., Beyssac, E., Pompon, D., Renaud, M., Alric, M. (2001). The 'biodrug' concept: an innovative approach to therapy. *Trends Biotechn.* 19 (10): 393-400.
- Krul, C.A.M. (2001, November 8). Mutagenic and antimutagenic activity of food compounds: application of a dynamic *in vitro* gastrointestinal model. PhD Thesis Utrecht University. Febodruk BV, Enschede, The Netherlands. ISBN: 90-393-2857-9.
- Krul, C.A.M., Luiten-Schuite, A., Tenfelde, A., Van Ommen, B., Verhagen, H., Havenaar, R. (2001). Antimutagenic activity of green tea and black tea extracts studied in a dynamic *in vitro* gastrointestinal model. *Mutation Research* 474: 71-85.
- Van der Werf, M.J. and Venema, K. (2001). Bifidobacteria: genetic modification and the study of their role in the colon. *J. Agric. Food Chem.* 49: 378-383.
- Thörig, L., De Groot, L., Hensgens, C.M.H. (2001). Bovine hyperimmune whey protein concentrate with specific biological activity as a replacement ingredient. *Innovations Food Techn.* Dec.2001: 57-60.

## 2000

- Krul, C.A.M., Luiten-Schuite, A., Baan, R., Verhagen, H., Mohn, G., Feron, V., Havenaar, R. (2000). Application of a dynamic *in vitro* gastrointestinal tract model to study the availability of food mutagens, using heterocyclic aromatic amines as model compounds. *Food and Chemical Toxicology* (38): 783-792.
- Smeets-Peeters, M.J.E. (2000, September 8). Feeding FIDO: Development, validation and application of a dynamic *in vitro* model of the gastrointestinal tract of the dog. PhD Thesis, Wageningen University. Universal Press, Veenendaal, The Netherlands. ISBN: 90-5808-259-8.
- Venema, K., Van Nuenen, H.M.C., Smeets-Peeters, M.J.E., Minekus, M., Havenaar, R. (2000). TNO's *in vitro* large intestinal model: an excellent screening tool for functional food and pharmaceutical research. *Ernährung/Nutrition* 24 (12): 558-564.
- Zeijdner, E.E. and Havenaar, R. (2000). The fate of orally administrated compounds during passage through the gastrointestinal tract simulated in a dynamic *in vitro* model (TIM). *European Pharmaceutical Contractor*, Febr. issue: 76-81.

## 1999

- Gänzle, M.G., Hertel, C., Van der Vossen, J.M.B.M., Hammes, W.P. (1999). Effect of bacteriocin-producing lactobacilli on the survival of *Escherichia coli* and *Listeria* in a dynamic model of the stomach and the small intestine. *Int. J. Food Microbiol.* 48: 21-35.
- Havenaar, R. (1999). The model selection tool. *Dairy Industries International*, 64 (6): 33-36.
- Minekus, M., Smeets-Peeters, M.J.E., Bernalier, A., Marol-Bonnin, S., Havenaar, R., Marteau, P., Alric, M., Fonty, G., Huis in 't Veld, J.H.J. (1999). A computer-controlled system to simulate conditions of the large intestine with peristaltic mixing, water absorption and absorption of fermentation products. *Appl. Microb. Biotechn.* 53: 108-114.



Smeets-Peeters, M. en Havenaar, R. (1999). Dynamisch *in vitro* maag-darmmodel van de hond. *Dier-en-Arts* 14 (11): 317-321.

Smeets-Peeters, M.J.E., Minekus, M., Havenaar, R., Schaafsma, G., Versteegen, M.W.A. (1999). Description of a dynamic *in vitro* model of the dog gastrointestinal tract and an evaluation of various transit times for protein and calcium. *ATLA* 27: 935-949.

#### 1998

Bockting, G. and Van der Valk, W. (1998). Gastrointestinale absorptie van lood uit verontreinigde grond. *Bodem* 2: 74-76.

Miettinen, M., Alander, M., Von Wright, A., Vuopio-Varkila, J., Marteau, P., Huis in't Veld, J., Mattila-Sandholm, T. (1998). The survival of and cytokine induction by lactic acid bacteria after passage through a gastrointestinal model. *Microbial Ecology Health Disease* 10: 141-147.

Minekus, M. (1998, May 28). Development and validation of a dynamic model of the gastrointestinal tract. PhD Thesis, Utrecht University. Elinkwijk b.v., Utrecht, Netherlands. ISBN: 90-393-1666-x.

Minekus, M. and Havenaar, R. (1998). Reactor system. European Patent No. 0642382. European Patent Bulletin 98/07, Art. 97(4) and (5) EPC, dated 11.02.98.

Smeets-Peeters, M.J.E., Watson, T., Minekus, M., Havenaar, R. (1998). A review of the physiology of the canine digestive tract related to the development of *in vitro* systems. *Nutrition Research Reviews* 11: 45-69.

Van der Vossen, J.M.B.M., Havekes, W.A.L.M., Koster, D.S., Ten Brink, B., Minekus, M., Havenaar, R., Huis in 't Veld, J.H.J., Overeem, J., Hendriks, N., Hofstra, H. (1998). Development and application of *in vitro* intestinal tract model for safety evaluation of genetically modified foods. In: Food safety Evaluation of genetically modified foods as a basis for market introduction. Ministry of Economic Affairs, The Hague, The Netherlands.

#### 1997

Larsson, M. Minekus, M., Havenaar, R. (1997). Estimation of the bio-availability of iron and phosphorus in cereals using a dynamic *in vitro* gastrointestinal model. *J. Sci. Food Agric.* 73: 99-106.

Marteau, P., Minekus, M., Havenaar, R., Huis in 't Veld, J.H.J. (1997). Survival of lactic acid bacteria in a dynamic model of the stomach and small intestine: Validation and the effects of bile. *J. Dairy Sci.* 80: 1031-1037.

#### 1996

Havenaar, R. and Minekus, M. (1996). Simulated assimilation. *Dairy Industries International* 61 (9): 17-23.

Minekus, M. (1996). *In-vitro* modelling moves closer to the real thing. *Feed Mix* 4: 36-38.

Minekus, M. and Havenaar, R. (1996). *In vitro* model of an *in vivo* digestive tract. United States Patent; nr. 5,525,305, dated June 11, 1996.

#### 1995

Minekus, M., Marteau, P., Havenaar, R., Huis in 't Veld, J.H.J. (1995). A multi compartmental dynamic computer-controlled model simulating the stomach and small intestine. *Alternatives to Laboratory Animals (ATLA)* 23: 197-209.

#### 1993

Havenaar, R., Veenstra, J., Minekus, M., Marteau, P. (1993). Unieke methode voor bestudering fysiologische aspecten van voeding. *Voeding* 54 (6): 7-11.